


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF L-COM, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF L-COM, INC. IS PROHIBITED.


| REVISIONS | | | |
|-----------|--|------------|-------------|
| REV | DESCRIPTION | DATE | APPROVED |
| E | ECN 81 17: CORRECTED FUNCTION NAMES IN WIRE MAP. | 10/1/15 | D_DESJARDIN |
| F | ECN 10639: REMOVED RgHS STATEMENT | 08/21/2020 | PNEWTON |
| | | | |



| MODEL NUMBER | LENGTH METERS [FEET] |
|--------------|----------------------|
| CMD24-05M | 0.5 [1.64] |
| CMD24-1M | 1.0 [3.28] |
| CMD24-2M | 2.0 [6.56] |
| CMD24-3M | 3.0 [9.84] |
| CMD24-4M | 4.0 [13.12] |
| CMD24-5M | 5.0 [16.40] |
| CMD24-10M | 10.0 [32.80] |

NOTES:

1. SEE SHEET 2 FOR WIRING MAP.
2. CABLE MEETS REQUIREMENTS OF ANSI/IEEE STD 488.1-1987.
3. CABLE ASSEMBLY SHALL BE TESTED FOR CONTINUITY.
4. CABLE ASSEMBLY SHALL BE INDIVIDUALLY PACKAGED IN ACCORDANCE WITH L-COM SPECIFICATION PS-0031.

| | | | | |
|--|----------------------------|--|---|--|
| UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES [mm] OVERALL CABLE LENGTH TOLERANCE: ≤12 [305] = +1 [25] / -0 >12 [305] ≤60 [1524] = +2 [51] / -0 >60 [1524] ≤120 [3048] = +4 [102] / -0 >120 [3048] ≤300 [7620] = +6 [152] / -0 >300 [7620] = +5% / -0 ALL OTHER DIMENSIONAL TOLERANCES: .X = ± .2 [5] FRACTIONS ± 1/32 .XX = ± .02 [.5] ANGLES ± 1° .XXX = ± .005 [.13] | APPROVALS | DATE |  50 High Street, West Mill, North Andover, MA 01845 USA. Phone: 1.800.341.5266 1.978.682.6936 | |
| | DRAWN BY TJC | 9/1/01 | | CATEGORY IEEE-488 |
| | CHECKED BY DFP | 9/5/01 | | |
| | APPROVED BY | 9/10/01 | | PRODUCT DESCRIPTION CABLE, MOLD GPIB M/M |
| THIRD-ANGLE PROJECTION | COLOR VARIATIONS MAY OCCUR | SIZE A CAGE CODE 43321 ITEM NO. CMD24 REV. F SCALE: NONE CAD FILE: CMD24.SLDRW SHEET 1 OF 2 | | |

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF L-COM, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF L-COM, INC. IS PROHIBITED.

WIRING MAP

| PAIR NUMBER | J1/P1 | P2 | FUNCTION |
|-------------|------------|------------|----------------|
| 1 | 1 | 1 | DATA LINE DI01 |
| | 14 | 14 | DATA LINE DI06 |
| 2 | 2 | 2 | DATA LINE DI02 |
| | 3 | 3 | DATA LINE DI03 |
| 3 | 4 | 4 | DATA LINE DI04 |
| | 13 | 13 | DATA LINE DI05 |
| 4 | 15 | 15 | DATA LINE DI07 |
| | 16 | 16 | DATA LINE DI08 |
| 5 | 5 | 5 | EOI |
| | 24 | 24 | EOI RETURN |
| 6 | 6 | 6 | DAV |
| | 18 | 18 | DAV RETURN |
| 7 | 7 | 7 | NRFD |
| | 19 | 19 | NRDF RETURN |
| 8 | 8 | 8 | NDAC |
| | 20 | 20 | NDAC RETURN |
| 9 | 9 | 9 | IFC |
| | 21 | 21 | IFC RETURN |
| 10 | 10 | 10 | SRQ |
| | 22 | 22 | SRQ RETURN |
| 11 | 11 | 11 | ATN |
| | 23 | 23 | ATN RETURN |
| 12 | 17 | 17 | REN |
| | 24 | 24 | REN RETURN |
| DRAIN WIRE | 12 & SHELL | 12 & SHELL | SHIELD |



50 High Street, West Mill,
North Andover, MA 01845 USA.
Phone: 1.800.341.5266
1.978.682.6936

CATEGORY

IEEE-488

PRODUCT DESCRIPTION

CABLE, MOLD GPIB M/M

| | | | |
|------------------|---------------------------|--------------------------|------------------|
| SIZE A | CAGE CODE 43321 | ITEM NO. CMD24 | REV. F |
| SCALE: NONE | | CAD FILE: CMD24.SLDDRW | SHEET 2 OF 2 |